




## Parameters and available chair sizes

Size	Seat height	Body height
3	350 mm	119 - 142 cm
4	380 mm	133 - 159 cm
5	430 mm	146 - 176,5 cm
6	460 mm	159 - 188 cm
7	510 mm	174 - 207 cm

Dimensions:	The overall dimensions and weight of the product vary according to size.
Carrying capacity:	MAX. 120 KG.
Stackability:	Yes
Note:	The specified size is (± 10 mm) according to EN 1729 - 1.

- Designed 'S FORM' chair frame
- Almost indestructible steel construction
- Natural beech plywood
- Scratch resistant
- Customizable colors and components
- Stackable



## Standard chair design

Frame material:	Steel
Frame color:	RAL 9006
Seat/backrest material:	Beech plywood
Seat/backrest color:	Natural, varnished
Glides:	Without felt

You can view or download the color and accessory adjustment sheets from our website.

## **Detailed description**

The popular Z31 school chair is designed with a modern 'S FORM' metal base. The chair's construction is almost indestructible. It is made of 38x20 mm flat-oval steel profiles with 1.5 mm wall thickness, ensuring its high strength and durability. The metal structure is powder-coated in the timeless RAL 9006 (white aluminium).

The seat and backrest are 8mm thick molded beech plywood with a clear lacquer finish. This surface is highly scratch-resistant, extending the chair's life even in everyday use.

The Z31 chair has plastic glides as standard to protect the floor and ensure stability. The glides are available without felt, but this component can be replaced with a felt version on request.

The chair is low maintenance and easy to clean, making it an ideal choice for school environments.

The product offers individual customization options such as changing the frame, seat, and backrest color. Swatches of colors and other finishes are available to tailor the chair to specific requirements.

## Maintenance

The metal and beech plywood surfaces can be maintained with common cleaning agents, with the exception of aggressive cleaners, detergents, polishes, and products containing granules and sand. Do not expose the chair to excessive moisture or running water or to temperatures above 90 °C.