




- **Powder coated steel frame**
- **112,5x75cm worktop**
- **Enhanced safety with rounded corners**
- **Adjustable glides that adapt to uneven floors**
- **Easy to clean**

#### Parameters and available sizes

| Size   | Worktop height | Body height  |
|--|----------------|--------------|
| 2  | 530 mm         | 108 - 121 cm |
|  |                |              |
|  |                |              |
|  |                |              |
|  |                |              |
|  |                |              |

Dimensions: The overall dimensions and weight of the product vary according to size.

Carrying capacity: MAX. 120 KG.

Note: The specified size is ( $\pm 10$  mm) according to EN 1729 - 1.

#### Standard design

|                   |                          |
|-------------------|--------------------------|
| Frame material:   | Steel                    |
| Frame color:      | RAL 9006                 |
| Worktop size:     | 112,5x75cm               |
| Worktop material: | Laminated chipboard      |
| Worktop finish:   | Beech, white             |
| Glides:           | Adjustable, without felt |

You can view or download the color and accessory adjustment sheets from our website.

#### Detailed description

The table S102 is suitable for any interior. Its universal structure and tabletop shape allow it to be used in the dining room as well as for everyday work activities.

The frame of the table is made of bent steel tubes with a diameter of 30 mm and is treated with a powder coating in the neutral shade RAL 9006 (White Aluminium). The tube ends are fitted with adjustable joint gliders, which easily adapt to floor irregularities.

The tabletop, made of laminated chipboard, measures 112,5x75 cm and features rounded corners with a radius of 80 mm. The edges of the board are protected with ABS edging.

The table requires little maintenance and is easy to clean.

#### Maintenance

Surfaces can be maintained with common cleaning agents, with the exception of aggressive cleaners, detergents, polishes, and products containing granules and sand. Do not expose the chair to excessive moisture or running water or to temperatures above 90 °C.